
# **TUNGSRAM**

Innovation is our heritage EST. 1896











## ConstantColor™ CMH Single Ended CMH150/T/UVC/U/830/G12 20012

### **Product information**

Llow watt CMH lamps have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

ConstantColor™ CMH Precise™ technology platform has been developed with specific focus to retail applications. Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, while maintaining long life and reliability. These qualities are why is the leader in ceramic metal halide technology.

#### **Application areas**









# ConstantColor™ CMH Single Ended CMH150/T/UVC/U/830/G12 20012

#### Product data

Product Code	20012
Light Center Length [mm]	56
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	100
Net weight per piece [g]	32
Gross weight per piece [g]	42
Operating position	U - Universal
Mercury Content [mg]	11.6
UV radiance	Exempt
Brand	GE Lighting
Cap/Base	G12

#### Performance data

830
14970
160.27
93
102.7
A+
0.435
0.4
3000
14000
80



# ConstantColor™ CMH Single Ended CMH150/T/UVC/U/830/G12 20012

#### Electrical data


Rated power [W]	145.7
Lamp Current [A]	1.9
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	900
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	93

### Logistic data


DUN Code 20	0043168200121
EAN Code 00	043168200127
Pack Quantity 12	2
Layer quantity 39	96 EUR, 504 UK
Layer quantity EUR 39	96
Layer quantity UK 50	04
Pallet quantity EUR (PC)	772
Pallet quantity UK (PC)	528
Outer case size	86 x 146 x 140 (mm)
Product status Ph	hased-out

# ConstantColor™ CMH Single Ended CMH150/T/UVC/U/830/G12 20012

### Light distribution




#### Lumen maintenance data



### ConstantColor™ CMH Single Ended

CMH150/T/UVC/U/830/G12 20012

#### Survival data



#### Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

HID Lamps Spectrum Catalogue (EN) (PDF)

ConstantColor™ CMH Ultra Brochure (PDF)

ConstantColor™ White Light CMH Brochure (PDF)

ConstantColor™ CMH G12 Data sheet (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)